

CHAPTER-14

BIOPESTICIDES - A BOON FOR AGRICULTURE AND ENVIRONMENT SUSTAINABILITY

Rahul V. Zade¹ and Saheb L. Shinde²

¹Department of Botany, Shanakarrao Chavan Mahavidyalaya, Ardhapur, District Nanded, (MS)- 431602 India

²Department of Botany, Yashvant Mahavidyalaya, Nanded (MS)- 431602 India
Email id – rahul.zade@avc.ac.in

Summary

The global population is exploding at an exponential rate and is awaited to reach roughly 9.7 billion by 2050. India in a significant evolution, India has formerly exceeded China as the world's most vibrant country. Tallying to protrusions from the World Population Review (WPR), India's population was 141.7 crore as of the end of 2022. Hence India needs a further seat on biopesticides for sustainable excrescency for furnishing safe victuals, operation of health people, biodiversity, etc. Agriculture in India is largely dependent on chemicals involving fungicides and their operation has a huge jolt on the health of humans, creatures, biodiversity, and the terrain. In 2015, the National Crimes Records Bureau (NCRB) recorded, 7672 cases of poisoning due to incidental input of germicides, out of which, 7,060 died. Moving to biopesticide is the only expressway to get relief of finessing dangerous events. Globally, biopesticides quantum to only 4.5% of the grand fungicides produced, and in the U.S.A. it is 6% whereas, in India, only 3%. In India, the periodic excrescency rate of biopesticide products is estimated to be 2.5%. Fungicides are restrained in India through the Germicides Act, of 1968. The union press has lately approved the Pesticides Management Bill, 2020. As of now 970 biopesticide registrants in India.

Keyword: World Population Review (WPR), National Crimes Records Bureau (NCRB), Biopesticide.

Introduction

Biopesticides are certain manners of fungicides deduced from similar natural accouterments as creatures, bacteria, and certain minerals. For illustration, canola

oil painting and baking soda have pesticidal operations and are considered biopesticides. As of now 970 biopesticide registered. The sustained evolution of biopesticides is getting imperative to boost the quality and security of the agrarian product, enhance agrarian productions profitable value and promote the evolution of a 'verdant' husbandry assiduity. (Pengfei, 2011).

Biochemical fungicides carry substances that intrude with lovemaking, similar as nonentity coitus pheromones, as well as colourful scented factory excerpts that attract nonentity pests to traps. Microbial fungicides correspond of a microorganism (e.g., a bacterium, fungus, or protozoan) as the active component. Microbial fungicides can control numerous non-identical stripes of pests, although each separate active component is fairly special for its prey pest. For illustration, there are fungi that control certain weeds and other fungi that kill special insects. Plant-Incorporated-Protectants (PIPs) are pesticidal substances that plants yield from an inheritable substance that has been appended to the factory. Lately, the Institute of Pesticide Formulation Technology, under the Ministry of Chemicals and Diseases has developed biopesticide formulation for nonentity control in seed fragrance crops. The expression has a good shelf life, safe for the stoner & terrain and may be effectively exercised for checking non-identical agrarian insects.

The major advantage of exploiting microorganisms for pest control is their environmental security primarily due to the host particularity of these pathogens. (Kachhawa, 2017). For checking losses from insects, voluminous quantities of synthetic chemical fungicides are exercised in seed crops, performing in advanced situations of fungicide remainders in seed fragrances which leads to pitfalls for mortal health and the terrain. It is grounded on the entomopathogenic fungus *Verticillium lecanii*. Depending on the accessible coffers, one or further conceptions may do within the host corpse, and a voluminous number of pestilent kids are ultimately released into the terrain to infect other legions and remain in their life circle (Coverlet, 1982). The tools and ways of molecular biology and biotechnology can grease its employment in crop shops in a safe and sustainable manner (Kumar et al., 2010).

Consumption of biopesticides in India

The global population is exploding at an exponential rate and is awaited to reach roughly 9.7 billion by 2050. India has formerly exceeded China as the world's most vibrant country. Tallying to protrusions from the World Population Review (WPR), India's population was 141.7 crore as of the end of 2022. Universally, biopesticides quantum to only 4.5 of the grand fungicides produced, and in the U.S.A. it is 6%, whereas, in India, it is only 3%. In India, the periodic excrescency rate of biopesticide products is estimated to be 2.5%.

Data attained from DPPQS (Directorate of Plant Protection, Quarantine & Storage) alluded that each India consumption of biopesticides has swelled by 40% from 2014 – 2015 to 2018 – 2019. In 2021 and 2022, consumption was relatively analogous. Statistics also show off that Maharashtra, West Bengal and Karnataka have employed the ultimate quantum of biopesticides i.e., 5549, 4416

and 3478 MT, independently, while Himachal Pradesh and Goa have exercised the least, 36 and 38 MT independently.




Fig. a). An overview of the current structure of biocontrol laboratories and units working in India, (Source: data obtained from DPPQS, Ministry of Agriculture & Farmers Welfare, Government of India)




Fig. b). Consumption of biopesticides in India during last 5 years (Source: data obtained from DPPQS, Ministry of Agriculture & Farmers Welfare, Government of India)

What are the vantages of utilizing bio fungicides?

Biopesticides are generally innately less poisonous than usual fungicides. Biopesticides usually affect only the prey pest and nearly affiliated organisms, in contrast to broad-diapason, usual fungicides that may affect organisms as non-identical as catcalls, insects and mammals. Biopesticides frequently are operative in veritably fragile amounts and frequently putrefy snappily, performing in lesser exposures and largely finessing the toxin cases caused by usual fungicides. When exercised as an element of Integrated Pest Management (IPM) programs, biopesticides can greatly reduce the use of usual fungicides, while crop works remain high. It promotes sustainable agrarian products. The cost of evolution and enrollment of microbial germicides is much lower than that of chemical germicides. (Kachhawa, 2017).

It is an eco-friendly process and in tune with nature. It will promote organic inputs and chemical free husbandry yield. It will ameliorate the health condition of the people. *Nosema pyrausta* is another salutary microsporidian that reduces the fecundity and life of grown-ups and also causes mortality of the larvae of European sludge borer (Lacey, 1995). Bacterial biopesticide colonizes the factory and crowds out the pathogenic species (O'Brien, 2009). Belonging to the Baculovirus (Baculoviridae) were considered for the evolution of utmost marketable viral biopesticides (Entwistle, 1985; Granados, 1986; Moore, 1987).

Enterprises and agrarian services should work together to toughen the creation of biopesticide technologies, to support growers lick the necessary chops and encourage them to exercise toxin free natural substances. (Pengfei, 2011). Botanicals support in precluding the jilting of thousands of tons of fungicides on the planet; they are safer to druggies and the terrain because they are biodegradable and breakdown into inoffensive composites within many days in the presence of the sun. (Hanmen, 2012).

Legislation presiding the pesticide exercise in India

The Insecticide Act (1968)(amended in 2000) is the only legislation under the Indian Government that governs the import, manufacture, trade, exhilaration, division, and use of all manners of germicides, involving biopesticides. The Central Insecticides Board and Registration Committee (CIBRC) governs the manufacture, entitlement of a license, expiry of the license, product labeling, packaging and trade, and use of germicides. In 2015 the government also passed a bill known as the Germicides (Amendment) Bill, 2015. The Bill appended a revision in Section 9 of the Insecticide Act (1968), after sub-Section (3C), the sub-sections of nanotechnology grounded fungicides were fitted.

Expostulations to biopesticides production in India

Biopesticide product is a high threat adventure taking a high original capital investment birthright from the webbing stage to the election of implicit strains for trade, packaging, storehouse, and division. But the single biggest constraint to its evolution and excrescency is the rampant trade of sub-standard or spurious biopesticides, and biopesticides defiled with chemical fungicides. The cost of enrollment of biopesticides in India and the long drawn-out process involved, further discourage companies from engaging in the exploration and evolution on natural fungicides. Another restriction is the demand to corroborate the microorganism for bio-safety before enrollment and propagation of biopesticides. Further exploration is demanded towards integrating natural instrumentalities into the product system, perfecting the capability of developing nations to form and exercise biopesticides. (Kumar, 2015). Numerous universities and exploration institutions that guide the original exploration and develop biopesticides are unfit to bear the fresh charges needed for expansive security and mislike experiments.

Case of imitative, polluted or sub-standard biopesticides these are the limited organic natural productions not approved by the Central Insecticide Board and Registration Committee (CIBRC) and vented under the guise of organic bio-inputs certified by the Agricultural and Reused Food productions Export Development Authority (APEDA) under India's Ministry of Commerce and Fertilisers. The relative childhood of the procedure network, limited coffers and capabilities, and lack of trust between controllers and directors are some of the serious cases. (Kumar, 2015). These 'organic' productions are not subordinated to any CIBRC- commanded bioefficacy and bio-safety trials and account for an estimated 65% of the grand measure of deals of biopesticides in the country.

Their low shelf life is also a major company for growers. Biopesticides correspond primarily of abiding microbes; temperature oscillations, moisture and exposure to ultraviolet radiation dampen their efficacy. Also, any impurity oppressively reduces its forcefulness in field conditions. Biopesticides are also largely cure dependent and their forcefulness varies from climate to climate. Unlike synthetic fungicides that can be produced in asked chastity and gain, it is frequently delicate to produce pure botanical fungicides due to the wide variations in the active and associated constituents of the parent shops in nonidentical agro-climatic necks. Furnishing bountiful food for the ever growing global population is only the first portion of the challenge, (Kumar, 2012). This leads to variations in their physical and chemical, as well as toxicological and other affiliated parcels. Their physical, chemical or microbial impurity also complicates matters.

Way forward

It would be unrealistic to anticipate biopesticides to fully replace chemical fungicides. They are one of the factors of integrated pest operation. Further exploration and trials on area- special and crop special phrasings are demanded to maximize the use of biopesticides. Piecemeal from these specialized effects, there is a want for a drive from the authorities for promoting biopesticides for exploration, product and sensitizing the growers. To make confidence in biopesticides, both private and government spots will have to come together and work with growers at the grassroots level. However, biopesticides have the eventuality to bring sustainability to global husbandry for food and feed screen, if stationed meetly. (Kumar, 2015).

The Governments procedure and brace in furnishing better R & D structure, release of regulations and comforting brace to growers for utilizing natural will also be important. Chemical fungicides have a huge jolt on the terrain and soil fertility; hence it is high time that the measure towards biopesticides is realized snappily consequently as to make our agro-ecosystems sustainable for food screen in the future. UN SDG set the target by 2030, ensures sustainable food production systems and tools flexible agrarian practices that boost productivity and product, that help conserve ecosystems, that toughen capacity for adaption to climate revise, extreme rainfall, failure, flooding, and other disasters, and precipitously.

Acknowledgment

Authors take great pleasure in expressing their heartfelt thanks to the Directors of Gloris Biomed Research Centre (P) Ltd, No. 171, Fourth St, Kannigapuram, K.K. Nagar Chennai-78 for the invaluable guidance and supervision throughout the work and permission to use the facilities available in the laboratory. We are deeply indebted to the Principal, Guru Nanak College for the constant support and guidance to carry out the work.

References

- [1] Bedding, R., and Molyneux, A. (1985), Penetration of insect cuticle by infective juveniles of *Heterorhabditis* spp. (Heterorhabditidae: Nematoda). *Nematologica*, 28:354-359.
- [2] Entwistle, P. F., and Evans, H. F. (1985). Viral Control. In Comprehensive Insect Physiology. Biochemistry and Pharmacology; Gilbert, L.I., Kerkut, G.A., Eds.; Pergamon Press:Oxford, UK,; 12:347-412.
- [3] Government of India ministry of agriculture & farmers welfare department of agriculture & farmers welfare (2022) use of bio-pesticides in agriculture.
- [4] Granados, R. R. and Federici, B. A. (1986). The Biology of Baculoviruses; CRC Press: Boca Raton, FL, USA,.
- [5] Hanmen, F. K. (2012). Prospects of Botanical Biopesticides in Insect Pest Management. *Pharmacologia*, 3(12):641-656.
- [6] <https://agricoop.nic.in/>.
- [7] <https://apbb.fftc.org.tw/article/452>
- [8] <https://ppqs.gov.in/divisions/cib-rc/bio-pesticide-registrant> .
- [9] <https://ppqs.gov.in/divisions/cib-rc/guidelines?page=1>
- [10] <https://www.epa.gov/pesticides/biopesticides>.
- [11] <https://www.india.gov.in/topics/agriculture>.
- [12] <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7181464/>.
- [13] ICAR Technologies Biopesticides for eco-friendly pest management, July, 2021, Indian Council of Agricultural Research Krishi Bhavan, New Delhi 110 001.
- [14] Kachhawa, D. (2017) Microorganisms as a biopesticides, *Journal of Entomology and Zoology Studies*; 5(3): 468-473.
- [15] Kumar, S., Arul, L. and, Talwar, D. (2010), Generation of marker-free Bt transgenic indica rice and evaluation of its yellow stem borer resistance. *J Appl Genet* 51: 243–257.
- [16] Lacey, L. A. and, Goettel, M. S. (1995) *Entomophaga*; 40:3-27.
- [17] Moore, N. F., King, L. A. and Possee, R. D. (1987). Viruses of insects. *Insect Sci. Appl*; 3:275-289.
- [18] National academy of agricultural sciences, new Delhi (2013).
- [19] O'Brien, K. P., Franjevic, S., and Jones, J. (2009). Green chemistry and sustainable agriculture: the role of biopesticides, advancing green chemistry. <http://advancinggreenchemistry.org/wpcontent/uploads/Green-Chemand-Sus.-Ag.-the-Role-of-Biopesticides,>.

- [20] Pengfei, L., Zhiming, Z., Guangtang, P. and Maojun, Z. (2011). Applications and development trends in biopesticides. *African Journal of Biotechnology*, 10(86): 19864-19873.
- [21] Singh, A., Khare, A. and Singh, A. P. (2012). Use of vegetable oils as biopesticide in grain protection - a review. *J Biofertil Biopestici* 3:114.
- [22] Suman Gupta and A. K. Dikshit, (2010). Biopesticides: An ecofriendly approach for pest control, *Journal of Biopesticides* 3(1 Special Issue): 186-188.
- [23] Suresh Kumar and Archana Singh, (2015). Biopesticides: Present Status and the Future Prospects, *j Fertil Pestic*, 6:2, <http://dx.doi.org/10.4172/jbfbp.1000e129>.
- [24] Suresh Kumar, (2012). Biopesticides: A Need for Food and Environmental Safety, *Biofertil Biopestici*, 3:4, <http://dx.doi.org/10.4172/2155-6202.1000e107>.
- [25] Thakore, Y. (2006) The biopesticide market for global agricultural use. *industrial_biotechnology*, 194-208.



©2025 Copyright Author(s). Chapters are published under the
book title “Advances in Botanical Research”. An Open Access
Book under CC-BY license at
<https://press.vyomhansjournals.com>
by Vyom Hans Publications
E-Book ISBN: 978-81-981814-9-7
Year April, 2025
